plumbers choice 歌歌



489 Mountain Highway, Bayswater, VIC 3153 Email: info@plumberschoice.com.au • Ph: (03) 9720 8274 + 172 · 101 - DEG

Luke's Editorial



FINAL MORNING EXTRA

San Francisco Chronicle

PLUMBERS CHOICE **DECLARES WAR ON DELIVERY CHARGES!**

At Plumbers Choice we know how annoying delivery charges are. That's why our standard delivery will never cost you anything. You only need to spend \$100 to get free delivery anywhere in Australia. That is the lowest in our industry.

There has never been a better time to invest in your own trade and buy Trade Only.

LUKE BOLTON DIRECTOR, PLUMBERS CHOICE

HOW TO ORDER



Online - 24 hours www.plumberschoice.com.au





Email - 24 hours sales@plumberschoice.com.au

Phone - Business Hours (03) 9720 8274 Our knowledgeable staff will take your order.

At our Trade Outlets

Monday - Friday 489 Mountain Highway, Bayswater, VIC 3153 4/200 Woodpark Road, Smithfield, NSW 2164

Personal Sales Rep

Your personal Sales Representative is able to tailor our service to suit your needs.



INFLATABLE TEST PLUG 100MM

- Inflate with car pump
 Can be used down an inspection shaft

Code: 2009

\$105.67

Equipped with 2.5m hose

plumtest.

I CONT



TEST PLUG ALUMINIUM 100MM

- A breeze to install
- 2 convenient tie-off points
- Size 100mm
- Code: 2149
- \$52.84

Plum

TEST PLUG RIGHT ANGLED WITH HANDLES 100mm

- Keeps hands out of the drain
- A breeze to install
- Cannot be lost down drain
- The only plug to use when testing at a right angled junction
- Cast Aluminium
- Patented

Code: 2004

\$153.16



Same day delivery for Sydney and Melbourne Metro



RED BACK SILCONE CLEANUP

Wipes silicone clean away!



 Specially designed for removing uncured silicone from laminates, porcelain, steel roofing & gutters













HIGHLY ELASTIC



f BOSTIKTRADE

HIGH PERFORMANCE FLEXIBLE MS SEALANT AND ADHESIVE

GREY Code: 8225 • WHITE Code: 9845 • BLACK Code: 8226



BOSTIKTRADE

 UV resistant, absorbs acoustic and mechanical vibrations

- Highly flexible with up to 400% elongation
- Sticks and seals all common building materials, even in the wet
- Contains zero solvents and is non-bubbling
- +/-25% cyclic expansion and low VOC
- Interior and exterior use

bostik.com



BOSTIKAUSTRALIA







Code: 2090

Upgrade to the Brand Trusted by Professionals and Toilet Manufacturers Worldwide

- Extra Easy Install Features Built-in
- 4.5/3L Dual Flush Technology
- Simple Flush Volume Conversion to 6/3L or 9/4.5L
- Plastic Cistern with Bottom Inlet
- UV Resistant Certified







EQUIPPED WITH FLUIDMASTER TECHNOLOGY



FLUIDMASTER PRO CISTERN

VATER RATIN

UIDMASTER AUSTRA

Most Powerful Flush System Adjustable up to 9/4.5L PRO Cistern with Link and Seat



SPECIFICALLY DESIGNED FOR CUTTING PVC



30% MORE EFFICIENT THAN STANDARD BLADES

CUTS STRAIGHT EVERYTIME

BATTERIES LAST LONGER

CUT IS FREE OF BURRS SRIDURRI

SAMURAI RECIPROCATING SAW BLADE PVC

• 210mm • 16TPI • Made in Japan

available in a **BOX of 10**

ROUNDS OUT Copper in Seconds! **\$19**51 EACH INC. GST Code: 9632

COPPER ROUNDING TOOL

NEW

3/4″ \$55.64 Code: 9898

Suitable for 3/4" copper tube

1/2" \$52.88 Code: 9988

Suitable for 1/2" copper tube

- Saves time
- Nuts slide on easily
- Great frustration saver
- Lightweight and compact

Innovative tools for PLUMBERS

Same day delivery for Sydney and Melbourne Metro

SPECIA PRESS FITTINGS

PRESS WATER COUPLING

7.20INC. GST 15mm Code: 8601

53.52 20mm Code: 8602



PRESS WATER TEE

15mm Code: 8617

7.37 20mm Code: 8618



PRESS WATER SLIP **REPAIR COUPLING**

15mm Code: 8604

4.40 20mm Code: 8605



Valid until December 31st 2021

NEW BLOCKHEAD PRESS WATER ELBOW LUGGED (90MM) 15mm x 15MI Code: 8699

PRESS WATER ELBOW F/F

15mm Code: 8607

4.29 20mm Code: 8608

PRESS WATER MI ADAPTER

\$3.85 INC. GST 15mm Code: 8633

.26 20mm Code: 8634



COPPER & BRASS LARGE PRESS FITTINGS



PRESS WATER FITTINGS

CODE	SIZE	CODE	SIZE
	Press Water Coupling		Press Water Elbow M/F 90°
7901	Press Water Coupling 32mm	7927	Press Water Elbow 32mm x 90 M/F
7902	Press Water Coupling 40mm	7928	Press Water Elbow 40mm x 90 M/F
7903	Press Water Coupling 50mm	7929	Press Water Elbow 50mm x 90 M/F
	Press Water Slip Repair Coupling		Press Water Elbow F/F 45°
7904	Press Water Slip Repair Coupling 32mm	7930	Press Water Elbow 32mm x 45 F/F
7905	Press Water Slip Repair Coupling 40mm	7931	Press Water Elbow 40mm x 45 F/F
7906	Press Water Slip Repair Coupling 50mm	7932	Press Water Elbow 50mm x 45 F/F
	Press Water Reducing Coupling F/F		Press Water Tee
7907	Press Water Reducing Coupling 32 x 20mm F/F	7933	Press Water Tee 32mm
7908	Press Water Reducing Coupling 32 x 25mm F/F	7934	Press Water Tee 40mm
7909	Press Water Reducing Coupling 40 x 20mm F/F	7935	Press Water Tee 50mm
7910	Press Water Reducing Coupling 40 x 25mm F/F		Press Water Tee Reducing
7911	Press Water Reducing Coupling 40 x 32mm F/F	7936	Press Water Tee 32 x 32 x 20
7912	Press Water Reducing Coupling 50 x 20mm F/F	7937	Press Water Tee 32 x 32 x 25
7913	Press Water Reducing Coupling 50 x 25mm F/F	7938	Press Water Tee 40 x 40 x 25
7914	Press Water Reducing Coupling 50 x 32mm F/F	7939	Press Water Tee 40 x 40 x 32
7915	Press Water Reducing Coupling 50 x 40mm F/F	7940	Press Water Tee 50 x 50 x 25
	Press Water Reducer M/F	7941	Press Water Tee 50 x 50 x 32
7916	Press Water Reducer 32 x 20mm M/F	7942	Press Water Tee 50 x 50 x 40
7917	Press Water Reducer 32 x 25mm M/F		Press Water End Cap
7918	Press Water Reducer 40 x 20mm M/F	7943	Press Water End Cap 32mm
7919	Press Water Reducer 40 x 25mm M/F	7944	Press Water End Cap 40mm
7920	Press Water Reducer 40 x 32mm M/F	7945	Press Water End Cap 50mm
7921	Press Water Reducer 50 x 25mm M/F		Press Water Adaptor MI
7922	Press Water Reducer 50 x 32mm M/F	7946	Press Water Adaptor 32mm x 32MI
7923	Press Water Reducer 50 x 40mm M/F	7947	Press Water Adaptor 40mm x 40MI
	Press Water Elbow F/F 90°	7948	Press Water Adaptor 50mm x 50MI
7924	Press Water Elbow 32mm x 90 F/F		Press Water Adaptor FI
7925	Press Water Elbow 40mm x 90 F/F	7949	Press Water Adaptor 32mm x 32FI
7926	Press Water Elbow 50mm x 90 F/F	7950	Press Water Adaptor 40mm x 40Fl
		7951	Press Water Adaptor 50mm x 50FI

PRESS GAS FITTINGS

CODE	SIZE
7052	Press Gas Coupling
7952	Press Gas Coupling 32mm
7953	Press Gas Coupling 40mm
7954	Press Gas Coupling 50mm
7955	Press Gas Slip Repair Coupling
	Press Gas Slip Repair Coupling 32mm
7956	Press Gas Slip Repair Coupling 40mm
7957	Press Gas Slip Repair Coupling 50mm
7958	Press Gas Reducing Coupling F/F Press Gas Reducing Coupling 32 x 20mm F/F
7959	
7959	Press Gas Reducing Coupling 32 x 25mm F/F Press Gas Reducing Coupling 40 x 25mm F/F
7961	Press Gas Reducing Coupling 40 x 23mm F/F
7962	Press Gas Reducing Coupling 40 x 32mm F/F
7963	
7963	Press Gas Reducing Coupling 50 x 32mm F/F
7904	Press Gas Reducing Coupling 50 x 40mm F/F Press Gas Reducer M/F
7965	Press Gas Reducer 72 x 20mm M/F
7965	Press Gas Reducer 32 x 25mm M/F
7967	Press Gas Reducer 40 x 25mm M/F
7968	Press Gas Reducer 40 x 23mm H/r
7969	Press Gas Reducer 40 x 32mm M/F
7970	Press Gas Reducer 50 x 23mm M/F
7971	Press Gas Reducer 50 x 40mm M/F
7571	Press Gas Elbow F/F 90°
7972	Press Gas Elbow 32mm x 90 F/F
7973	Press Gas Elbow 40mm x 90 F/F
7974	Press Gas Elbow 50mm x 90 F/F
7975	Press Gas Elbow 32mm x 45 F/F
7976	Press Gas Elbow 40mm x 45 F/F
7977	Press Gas Elbow 50mm x 45 F/F
1511	Press Gas Tee
7978	Press Gas Tee 32mm
7979	Press Gas Tee 40mm
7980	Press Gas Tee 50mm
,	Press Gas Tee Reducing
7981	Press Gas Tee 32 x 32 x 20
7982	Press Gas Tee 32 x 32 x 25
7983	Press Gas Tee 40 x 40 x 20
7984	Press Gas Tee 40 x 40 x 25
7985	Press Gas Tee 40 x 40 x 32
7986	Press Gas Tee 50 x 50 x 25
7987	Press Gas Tee 50 x 50 x 32
7988	Press Gas Tee 50 x 50 x 40
	Press Gas End Cap
7989	Press Gas End Cap 32mm
7990	Press Gas End Cap 40mm
7991	Press Gas End Cap 50mm
	Press Gas Adapter MI
7992	Press Gas Adaptor 32mm x 32MI
7993	Press Gas Adaptor 40mm x 40Ml
7994	Press Gas Adaptor 50mm x 50MI
	Press Gas Adapter Fl
7995	Press Gas Adaptor 32mm x 32Fl
7996	Press Gas Adaptor 40mm x 40Fl
7997	Press Gas Adaptor 50mm x 50Fl



BRASSHARDS

OPPER **k** BRASS PRESS FITTINGS

PRESS GAS FITTINGS





PRESS GAS COUPLING

CODE	SIZE	PRICE
8639	15mm	\$6.26
8640	20mm	\$8.04
8641	25mm	\$13.75



PRESS GAS REDUCING **COUPLING F/F**

CODE	SIZE	PRICE
8650	20mm x 15mm	\$11.11
8651	25mm x 20mm	\$13.70



PRESS GAS END CAP

CODE	SIZE	PRICE
8660	15mm	\$8.10
8661	20mm	\$9.13
8662	25mm	\$16.08



PRESS GAS ADAPTOR FI

CODE	SIZE	PRICE
8669	15mm x 15Fl	\$7.44
8670	20mm x 20FI	\$11.32
8671	25mm x 25Fl	\$15.43

PRESS GAS SLIP REPAIR

COUPLING				
CODE	SIZE	PRICE		
8642	15mm	\$6.00		
8643	20mm	\$7.54		
8644	25mm	\$11.69		



PRESS GAS REDUCER M/F

CODE	SIZE	PRICE
8652	20mm x 15mm	\$9.71
8653	25mm x 20mm	\$13.12

PRESS GAS ELBOW LUGGED

SIZE

15mm x 15FI

20mm x 20FI

PRICE

\$18.40

\$20.12

CODE

8663

8664



PRESS GAS ELBOW F/F 90°

CODE	SIZE	PRICE
8645	15mm x 90	\$7.44
8646	20mm x 90	\$9.72
8647	25mm x 90	\$17.86



PRESS GAS TEE

С

CODE	SIZE	PRICE
8654	15mm	\$8.59
8655	20mm	\$14.81
8656	25mm	\$23.15



BLOCKHEAD PRESS GAS ELBOW LUGGED (90MM) CODE SIZE PRICE 8698 15mm x 15MI \$18.40



PRESS GAS ELBOW F/F 45

CODE	SIZE	PRICE
8648	20mm x 45	\$11.60
8649	25mm x 45	\$15.46



PRESS GAS TEE REDUCING

CODE	SIZE	PRICE
8657	20 x 20 x 15	\$15.29
8658	25 x 25 x 15	\$23.52
8659	25 x 25 x 20	\$26.00




PRESS GAS ADAPTOR MI

= -		
CODE	SIZE	PRICE
8666	15mm x 15MI	\$5.51
8667	20mm x 20MI	\$13.59
8668	25mm x 25MI	\$21.39



Brasshards is proud to offer a 25 year warranty against defects and manufacturing faults in CuPress fittings (when installed in accordance with national, state and local plumbing codes by a licensed plumber). Issues arising from incorrect installation, misuse or environmental elements are not covered by this warranty. Please contact Brasshards for a copy of our full warranty document.

PRESS WATER FITTINGS



- Flame-free
- Permanent V-Profile press join
- All fittings comply with Australian Standards AS3688



SAVE A LOG BUY A FASTANOG



BLOCKHEAD LUGGED ELBOW

- Reduce the number of noggins required
- Can press it while in place
- Fix it from any direction
- Lead-free brass
- 25 year warranty

Same price as a traditional luggie! Blockhead Press Water Elbow Lugged 15mm x 15MI (90mm) **Code: 8699** Blockhead Press Gas Elbow Lugged 15mm x 15Ml (90mm) **Code: 8698**



Traditional Fix Plumber's noggin

Stud Fix Fix to side of studs



Existing Noggin Fix to carpenter's noggin



PLUMBING SUPPLIES SPECIALIST



Under licence no. 2001



- · Pre-loaded with bugle screws
- Set back measurer
- Fits small spaces
- Strong and versatile







Same day delivery for Sydney and Melbourne Metro

Subbased of the second second

34mm AND 58mm

STEEL STUD DRILL

- Also great in roofing work for overflows, etc
- 34mm to suit yellow grommets
- 58mm for drainage vents










Same day delivery for Sydney and Melbourne Metro

PMER

- Australian Designed
- Brass Shroud prevents spreading and splitting
- Tough NP3 compound which is heat resistant and hardwearing
- Passes 100,000 cycle test
- Complies with AS3718







NEW







For use on pipework passing through concrete footings

DOES YOUR JOB COMPLY?



Drainlag complies with AS1345-1995 (Table 1) indicating that pipes containing sewerage and organic waste should be marked black.

Drainlag Black

- 100mm x 10 Metre Roll
- Closed Cell
- Non Absorbant
- Simple to apply to pipe and or fittings
- Complies with the following standards:

AS3500 3.8.2 (b)

"Shall be installed with not less than 25mm annular space"

AS 1345-1995 (Table 1)

Colour Identification for Sewerage & Organic waste: Black

AS2870 5.5.4 (a)


"Closed cell polyethylene lagging shall be used around all drainage pipes through external footings"







Code: 8720







SPECIAL

PRESSURE REDUCTION VALVES



PRV RIGHT ANGLE AVG

- Preset 500kPa
- 20mm (3/4 inch) BSP female by copper olive compression
- Stainless Steel Seat

Code: 3602



PRV BALL VALVE

- Combination 20mm PRV & isolation ball valve
- Quick and easy to install
- Stainless Steel Seat Code: 3600



- Preset 500kPa
- 20mm (3/4 inch) BSP female by flared compression
- Stainless Steel Seat

Code: 3609





PRV 20MM 250-605 KPA



- 250-605 kPa
- Preset 500kPa
- 20mm (3/4 inch) BSP F&F
- Stainless Steel Seat

Code: 3603







TRI-SET VALVES

 One valve with three pressure settings 350kPa, 500kPa & 600kPa
 Compression 15mm Code: 3610
 Female 15mm Code: 3611



Valid until December 31st 2021



UV STABILISED BLACK NYLON TAP-INS WILL NOT FAIL! υv

- Black Tap-Ins will not fail when exposed to the sun Decero coated nails will not rust
- (exceeds 1000 hour salt spray test)



Weather affected Nylon Tap-Ins are a thing of the past!






NYLON TAP-INS - UV BLACK

• For outdoor use

•	Black	Nylon	UV stabi	lised will	not perish

CODE	LENGTH	QTY	PRICE
9524	5mm x 25mm	500	\$81.76
1187	5mm x 40mm	500	\$114.41



NYLON TAP-INS - MUSHROOM HEAD

•	100%	nylon,	not	plastic
	100/0	,,.	1101	piaotio


CODE	LENGTH	QTY	PRICE
	5mm x 25mm		\$15.09
9925	6.5mm x 50mm	100	\$20.90



- MUSHROOM HEAD

Strong cast alloy

CODE	LENGTH	QTY	PRICE
9387	5mm x 25mm	100	\$34.46
1967	6.5mm x 25mm	100	\$43.81
1968	6.5mm x 32mm	100	\$46.72
1705	6.5mm x 40mm	100	\$49.51




• 100% nylon, not plastic

CODE	LENGTH	QTY	PRICE
9978	5mm x 25mm	100	\$14.78
9907	5mm x 25mm	500	\$65.24
9179	5mm x 40mm	100	\$21.14
9973	5mm x 40mm	500	\$90.51
9567	6.5mm x 25mm	100	\$15.35
2262	6.5mm x 40mm	100	\$22.07
*All prices include GST			



STYROWEDGE A wedge type fastening for polystyrene walls



downpipes to foam walls



Step 1 Using a sharp blade, cut a 30mm slot, 50mm deep into the wall.



Step 3 Insert the Styrowedge into the slot in the wall.



Step 5 Place the downpipe and clip in position on the wall. Insert an 8-12 gauge screw into the Styrowedge and tighten into place.



Step 2 Take 2 Styrowedge halves and join the smooth sides together.



Step 4 Ensure the Styrowedge is flush with the finish of the wall.



Step 6 Complete for remaining fastenings.




- For a professional finish inside the cupboard.
- Flexy Flange cupboard plate fits tight to pipe which makes it ant-proof.





F + F NOW AVAILABLE





Flame resistant stainless steel

AGA Approved 8633G

1/2" M+F

1/2" F+F

 \checkmark

 \checkmark

Same day delivery for Sydney and Melbourne Metro

M+F Code: 6176 F+F Code: 6178

BOX 10



Suitable for Washing Machines & Dishwashers

130mm

PATENTER

NEW

12000

• Leave a neat finish in the cupboard

• Covers a hole in the

cupboard up to

120mm x 115mm

- Keeps pests out
- Fits hot & cold hoses, power cord, Optional outlet hose cap

Code: 1796









"For the professional plumber"


- Leave a neat finish in the cupboard
- Keeps pests out
- Fits over the solenoid valve

Code: 1792


















- Easier to install cabinets
- Can be removed with screwdriver or shifter
- Safer high visibility
- Available in a bag of 100







To continue to make things easier for you to support Trade Only, we've made a few additions to www.plumberschoice.com.au





Save Order Templates

You can now save custom Order Templates.

With just one click, add all the items from your Order Template to your shopping cart. Perfect for fit off packs, hottie kits or end of month stock top ups.

TIP OF

ΫHĒ



Favourite Items

Access to your favourite and most used items on the one page.

No more scrolling through to add the same items you buy every order. Now add them all from the convenience of one page.



66

QUOTES

Request a Quote

Want some gear quoted?

Haven't had some items priced up by your Sales Rep yet? Well, from the cart page you can now order or request a quote on the gear in your shopping cart.

Don't have an online account yet?

Head to **www.plumberschoice.com.au/register/** and sign up today. Order any time from the convenience of your phone or laptop.

> We'll tip YOU when you tip

Use an off cut of PVC to suspend a toilet suite off your shoulders. Allows your legs to take the weight and makes it easy to navigate tight spaces.



Thanks to John - LK Plumbing \$200 store credit is coming your way

To get involved send us an email info@plumberschoice.com.au

Every featured story receives a \$200 Store Credit

Same day delivery for Sydney and Melbourne Metro







BAL RATED DRAINAGE VENT & FLASHING KIT

Kit includes:

- Steel vent and cowl
- BAL rated flashing to suit steel roof
- Steel to PVC insulated adaptor





MONUMENT PVC CUTTERS

QUICK & CLEAN CUT!



PIPE CUTTER AUTOCUT MONUMENT 50MM PVC





PIPE CUTTER AUTOCUT MONUMENT 40MM PVC



- Quality UK designed and made
- Quick and clean cut
- Light weight
- Ideal for confined spaces
- Spare blades available



PIPE CUTTER SPARE BLADES For Monument PVC Autocutters Per 5

• Spare blade suits both 40 & 50mm cutters



MONUMENT TOOLS

SPECIAL

POLY COMPRESSION FITTINGS

POLY METRIC COUPLING



25mm **Code: 7145**

POLY METRIC SLIP REPAIR COUPLING

\$9.90 NC. GST

25mm Code: 7172



\$9.90 INC. GST **2**5mm - 3/4" **Code: 7140**



25mm-1/2" Code: 7176

POLY METRIC ELBOW \$8.80 NC. GST 25mm - 25mm Code: 7158



\$5.50 25mm-3/4" Code: 7148

POLY METRIC ADAPTOR MALE

\$5.50 NR. GST 25mm - 1" Code: 7149







Valid until December 31st 2021



DON'T TAKE THE RISK! REACH FOR THE GULLY GRABBER

GULLY GRABBER

The Gully Grabber is designed to remove hazards and blockages safely

- Extends up to 2 metres
- Stores in a handy 600mm tube
- Genuine Plumtool
- Patented



CODE: 2610

EXTENDS

UP TO

LEVEL GRADIENT ADJUSTABLE

> adjustable 600mm

> > 0C

\$20561 INC. GST CODE: 2493

- Great drainers' tool
- Set dial to gradient required
- As used by plumbing inspectors
- Can also be used as a standard level

∎

DUMTOON Innovative tools for PLUMBERS

Great tool, light weight and works well on both sinks and toilets

Cameron - CK Plumbing & Gas

lumbing

Super quick and easy to use, clear away that big dump with one pump

plumtool[™]

Quinton from Big Cat Plumbing

Μ

G

C

Pump Action Drain Cleaner

F

CKO

2

2



- Built for professionals
- Best of breed pump action drain plunger
- Comes with two rubber adaptors, one for sinks one for toilets

Same day delivery for Sydney and Melbourne Metro

Quickie Kit



Fit-off a hot water service in minutes!

Andrew from AMT Plumbing in Bayswater said:

I recently tried the Quickie Kit on an install. I reckon it saved me at least 30-45 minutes. The insulation and cable ties included in the kit made for a nice neat finish. Everything I needed was there.

15mm outlet & tempering valve Code: 8300 | 20mm outlet & tempering valve Code: 8301

Loose Nut Ball Valve Kit with Union

• Gas 20mm loose nut x 20mm female

Water 20mm loose nut x 20mm female

• Outlet fitting 20Fi x 20C

Code: 8306



INTRODUCING

REPAIR CLAMPS

SPECIAL \$3850

REPAIR CLAMP FOR COPPER 15mm

- Stainless Steel Band Simple to install
- Suits 1/2 inch copper
- Made from 316 stainless steel
- Full circle nitrile rubber gasket
- Pressure rating of 1600kPa
- Approved for use in potable water supply



Code: 5060

REPAIR CLAMP FOR COPPER 20mm

- Stainless Steel Band Simple to install
- Suits 3/4 inch copper
- Made from 316 stainless steel
- Full circle nitrile rubber gasket
- Pressure rating of 1600kPa
- · Approved for use in potable water supply

REPAIR CLAMP FOR COPPER 32mm

- Stainless Steel Band Simple to install
- Suit 11/4 inch copper
- Made from 316 stainless steel
- Pressure rating of 1600kPa
- water supply



Code: 5061

REPAIR CLAMP FOR COPPER 25mm

- Stainless Steel Band Simple to install
- Suits 1 inch copper
- Made from 316 stainless steel
- Full circle nitrile rubber gasket
- Pressure rating of 1600kPa
- Approved for use in potable water supply



Code: 5062

- Full circle nitrile rubber gasket
- Approved for use in potable



REPAIR CLAMP FOR GAL PIPE 20mm

- Stainless Steel Band simple to install
- Suits 3/4 inch galvanised pipe
- Made from 316 stainless steel
- Full circle nitrile rubber gasket
- Pressure rating of 1600kPa
- Approved for use in potable water supply



Code: 5064

REPAIR CLAMP FOR GAL PIPE 25mm

- Stainless Steel Band simple to install
- Suits 1 inch galvanised pipe
- Made from 316 stainless steel
- Full circle nitrile rubber gasket
- Pressure rating of 1600kPa
- Approved for use in potable water supply

Code: 5065

FOR THE STATE OF T

Flexible shaft for tight spaces

FLEXIBLE MIXER TAP DRIVER KIT

Kit Contains:

- 3/8 Flexible Drive (200mm long)
- 3/8 Hex Adaptor (40mm long)
- 3/8 Drive Socket Set;
- 9mm x 120mm, 10mm x 120mm, 11mm x 120mm, 12mm x 120mm, 13mm x 120mm



Extra long

sockets (120mm)