plumbers choice 歌歌







Clinton's Editorial

The Gift That Keeps on Giving — Trade Only

Sure, you might find a cheaper price here or a closer store there, but to those suppliers, you're just another customer. No different to Mr Jones who strolls in off the street. And remember, Mr Jones is your customer also. When a supplier sells directly to him, they are taking away any markup opportunities you may have been able to add on, they're taking them from you for their own benefit.

This Christmas, we'd like to celebrate all the other suppliers who've chosen to give back by being Trade Only, the ones who support plumbers first, not the public for the benefit of their own back pocket.

Whether it's us, the original Trade Only plumbing supplier, or one of the many others who've proudly followed suit, in a season that is all about giving, give back to those that give to you and support a Trade Only supplier.

Merry Christmas!

CLINTON THOMAS

GENERAL MANAGER, PLUMBERS CHOICE

plumbers choice

How to Order

Shop Trade Only Anywhere, Anytime!

Come in and see our knowledgeable staff at our Trade Outlets - Monday - Friday 489 Mountain Highway, Bayswater, VIC 4/200 Woodpark Road, Smithfield, NSW

Or shop Trade Only the way that suits you...



Your Personal Sales Rep



Order on our NEW App








Call Sales 03 9720 8274

www.plumberschoice.com.au












GRATE DOMED BLACK DWV 100mm

To suit 100mm Finishing Collar DWV





GRATE FLAT BLACK DWV 100mm

To suit 100mm Finishing Collar DWV





FINISHING COLLAR FEMALE DWV 100mm

To suit 100mm Finishing Collar DWV





MULTI VENT CAP BLACK - 100mm

100mm Sewerage Multi Vent Cap





DT MOUND DOMED GRATE DWV 100mm

(2025)



BOLTED TRAP SCREW FEMALE DWV 100mm

(3803)



WE'LL DO YOU A DEAL!





Now distributed by

MANOVATIONS





- Ideal for sorting and organising small fittings
- Sorting bins can be stacked on top of each other or side by side
- Bins include 4 pegs for stacking

LUGGED ELBOW EXTENDERS

10% OFF ENTIRE PLUMTOOL RANGE



the problem...

Finally a solution
for extending
brass threads





Lugged Elbow Extender Kit

CODE: 1786

• Franz tap • Brush • Allen Key • 4 Extenders





Using the provided tap, cut a thread inside the lugged elbow, taking care to make the thread straight



Use the brush to remove all loose brass from inside the lugged elbow




Apply Wonderjuice or similar to thread of adapter



Innovative tools for PLUMBERS



SPECIAL





Valid until 31st December 2025

COPPER & BRASS

PRESS FITTINGS

Flame-free

Permanent V-Profile press join

All fittings comply with Australian Standards AS3688

All Press Fittings are LEAD FREE

25 YEAR WARRANTY*

Against defects and manufacturing faults in CuPress fittings.

and local plumbing codes by a licensed plumber. Please contact Brasshards for a copy of our full



WaterMark



PLUMBING SUPPLIES SPECIALIST

all prices include GST



Press Gas Coupling

U

ZILLI

S 4

C

FITTING

œ


Ш

WAT

Code	Size
8639	15mm
8640	20mm
8641	25mm



Press Gas Slip Repair Coupling





Press Gas Elbow f/f 90°

Size
15mm x 90
20mm x 90
25mm x 90



Press Gas Elbow f/f 45°

Size
15mm x 45
20mm x 45
25mm x 45



Press Gas Reducing Coupling f/f

Code	Size
8650	20mm x 15mm
8651	25mm x 20mm



Press Gas Reducer m/f

Code	Size
8652	20mm x 15mm
8653	25mm x 20mm



Press Gas Tee

Code	Size	Code	
8654	15mm	8657	20
8655	20mm	8659	25
8656	25mm		



Press Gas Tee Reducing

Code	Size
8657	20 x 20 x 15
8659	25 x 25 x 20



Press Gas End Cap

Code	Size
8660	15mm
8661	20mm
8662	25mm



Press Gas Elbow Lugged

Code	Size
8663	15mm x 15FI
8664	20mm x 20FI



Press Gas Elbow Lugged

Code	Size
8665	15mm x 15MI



Blockhead Press Gas Elbow Lugged (90mm)

15mm x 15MI Code: 8698



Press Gas Elbow m/f

Code	Size
8770	15mm
9771	20mm



Press Gas Adaptor MI

Code	Size
8666	15mm x 15MI
8667	20mm x 20MI
8668	25mm x 25MI



Press Gas Adaptor FI

PIESS C	Press Gas Auaptor Fr	
Code	Size	
8669	15mm x 15FI	
8670	20mm x 20FI	
8671	25mm x 25FI	



Press Gas Slip Tee

e e
nm



Press Water Coupling

Code	Size
8601	15mm
8602	20mm
8603	25mm



Press Water Slip Repair Coupling

Code	Size
8604	15mm
8605	20mm
8606	25mm



Press Water Elbow f/f 90°

Code	Size
8607	15mm x 90
8608	20mm x 90
8609	25mm x 90



Press Water Elbow f/f 45°

Code	Size
8610	15mm x 45
8611	20mm x 45
8612	25mm x 45



Press Water

Elbow m/1 90		
Code	Size	
8681	15mm	
8682	20mm	



Reducing Coupling f/f

Code	Size
8613	20mm x 15mm
8614	25mm x 20mm
8542	18mm x 15mm
8543	20mm x 18mm



Size

20mm x 15mn

25mm x 20mn

8615

8616

Press Water End Cap Press Water Reducer m/f

	Code	Size
	8623	15mm
n	8624	20mm
n	8625	25mm



Press Water Adaptor FI

Size
15mm x 15FI
20mm x 20FI
25mm x 25FI



Press Water

Code

8633

8680

8691

8634

8635

Adaptor MI Size

15mm x 15MI

15mm x 20MII

20mm x 15MI

20mm x 20MI

25mm x 25MI

Press Water Tee Reducing	
Code	Size
8620	20 x 20 x
0001	25 25



	Code	Size
	8620	20 x 20 x 15
	8621	25 x 25 x 15
-	8622	25 x 25 x 20
	8683	20 x 15 x 15
	8684	20 x 15 x 20
-		



Press Water Tee

Code	Size
8617	15mm
8618	20mm
8619	25mm

Press Water

Elbow MI



Press Water Slip Tee

	Code	Size
	8692	15mm
	8690	20mm
•	8694	20 x 20 x 15



Press Water Elbow Lugged

	Code	Size	
8626		15mm x 15FI	
8	3598	20mm x 15FI	
8	3627	20mm x 20FI	



Press Water

Elbow Luggea			
Code	Size		
8628	15mm x 15MI		



15mm x 15MI Code: 8699



Code

8685

8679



Size

15mm x 15mm Press

20mm x 20mm Press



8696

8689



Size

15mm x 15mm Press

20mm x 20mm Press

Code	Size
8631	15mm x 15MI
8632	20mm x 20MI



Press Water Elbow UNION

Code	Size	
8687	15mm x 1/2"	
8688	20mm x 3/4"	


All prices include GST



Press Water Elbow FI

Code	Size
8629	15mm x 15FI
8630	20mm x 20FI





- 25 year warranty* Permanent V-Profile press join profile
- · Flame-free Complies with Australian Standards AS3688









PLUMBING SUPPLIES SPECIALIST



SecuraNut fixing

Locks on and won't loosen

40% MORE GRIP!





Metal Bolt Fixing

Polymide Pex Tails

EXCLUSIVE TO PLUMBERS CHOICE







BASIN MIXER SWIVEL

- Wels 4* 7.5 LPM
- Rated to 1500kPaMetal bolt fixing kit
- featuring new SecuraNut
- 40mm cartridge
 Supplied with pol
- Supplied with polyamide pex tails
- 25 year warranty on all parts
- 5 year warranty on labour

120mm | CODE: 2835

SINK MIXER SWIVEL

- Wels 4* 7.5 LPM
 Rated to 1500kPa
- Metal bolt fixing kit featuring new SecuraNut
- 40mm cartridge
 Supplied with polyami
- Supplied with polyamide pex tails
- 25 year warranty on all parts
- 5 year warranty on labour
- 225mm | CODE: 2830

BASIN MIXER FIXED

- Wels 4* 7.5 LPM
- Rated to 1500kPa
- Metal bolt fixing kit featuring new SecuraNut
- 40mm cartridge
 Supplied with poly:
- Supplied with polyamide pex tails
- 25 year warranty on all parts
- 5 year warranty on labour

120mm | CODE: 2866

COPPER & BRASS LARGE PRESS FITTINGS

32-50mm





7950 Press Water Adaptor 40mm x 40FI

PRESS WATER FITTINGS

PRESS WATER FITTINGS				
	CODE	SIZE	CODE	SIZE
		Press Water Coupling		Press Water Elbow M/F 90°
	7901	Press Water Coupling 32mm	7927	Press Water Elbow 32mm x 90 M/F
	7902	Press Water Coupling 40mm	7928	Press Water Elbow 40mm x 90 M/F
	7903	Press Water Coupling 50mm	7929	Press Water Elbow 50mm x 90 M/F
		Press Water Slip Repair Coupling		Press Water Elbow F/F 45°
	7904	Press Water Slip Repair Coupling 32mm	7930	Press Water Elbow 32mm x 45 F/F
	7905	Press Water Slip Repair Coupling 40mm	7931	Press Water Elbow 40mm x 45 F/F
	7906	Press Water Slip Repair Coupling 50mm	7932	Press Water Elbow 50mm x 45 F/F
		Press Water Reducing Coupling F/F		Press Water Tee
	7907	Press Water Reducing Coupling 32 x 20mm F/F	7933	Press Water Tee 32mm
	7908	Press Water Reducing Coupling 32 x 25mm F/F	7934	Press Water Tee 40mm
	7909	Press Water Reducing Coupling 40 x 20mm F/F	7935	Press Water Tee 50mm
	7910	Press Water Reducing Coupling 40 x 25mm F/F		Press Water Tee Reducing
	7911	Press Water Reducing Coupling 40 x 32mm F/F	7936	Press Water Tee 32 x 32 x 20
	7912	Press Water Reducing Coupling 50 x 20mm F/F	7937	Press Water Tee 32 x 32 x 25
	7913	Press Water Reducing Coupling 50 x 25mm F/F	7938	Press Water Tee 40 x 40 x 25
	7914	Press Water Reducing Coupling 50 x 32mm F/F	7939	Press Water Tee 40 x 40 x 32
	7915	Press Water Reducing Coupling 50 x 40mm F/F	7940	Press Water Tee 50 x 50 x 25
		Press Water Reducer M/F	7941	Press Water Tee 50 x 50 x 32
	7916	Press Water Reducer 32 x 20mm M/F	7942	Press Water Tee 50 x 50 x 40
	7917	Press Water Reducer 32 x 25mm M/F		Press Water End Cap
	7918	Press Water Reducer 40 x 20mm M/F	7943	Press Water End Cap 32mm
	7919	Press Water Reducer 40 x 25mm M/F	7944	Press Water End Cap 40mm
	7920	Press Water Reducer 40 x 32mm M/F	7945	Press Water End Cap 50mm
	7921	Press Water Reducer 50 x 25mm M/F		Press Water Adaptor MI
	7922	Press Water Reducer 50 x 32mm M/F	7946	Press Water Adaptor 32mm x 32MI
	7923	Press Water Reducer 50 x 40mm M/F	7947	Press Water Adaptor 40mm x 40MI
		Press Water Elbow F/F 90°	7948	Press Water Adaptor 50mm x 50MI
	7924	Press Water Elbow 32mm x 90 F/F		Press Water Adaptor FI
	7925	Press Water Elbow 40mm x 90 F/F	7949	Press Water Adaptor 32mm x 32FI

PRESS GAS FITTINGS


CODE	SIZL
	Press Gas Coupling
7952	Press Gas Coupling 32mm
7953	Press Gas Coupling 40mm
7954	Press Gas Coupling 50mm
	Press Gas Slip Repair Coupling
7955	Press Gas Slip Repair Coupling 32mm
7956	Press Gas Slip Repair Coupling 40mm
7957	Press Gas Slip Repair Coupling 50mm
	Press Gas Reducing Coupling F/F
7958	Press Gas Reducing Coupling 32 x 20mm F/
7959	Press Gas Reducing Coupling 32 x 25mm F/I
7960	Press Gas Reducing Coupling 40 x 25mm F/
7961	Press Gas Reducing Coupling 40 x 32mm F/
7962	Press Gas Reducing Coupling 50 x 25mm F/
7963	Press Gas Reducing Coupling 50 x 32mm F/
7964	Press Gas Reducing Coupling 50 x 40mm F/
	Press Gas Reducer M/F
7965	Press Gas Reducer 32 x 20mm M/F
7966	Press Gas Reducer 32 x 25mm M/F
7967	Press Gas Reducer 40 x 25mm M/F
7968	Press Gas Reducer 40 x 32mm M/F
7969	Press Gas Reducer 50 x 25mm M/F
7970	Press Gas Reducer 50 x 32mm M/F
7971	Press Gas Reducer 50 x 40mm M/F
	Press Gas Elbow F/F 90°
7972	Press Gas Elbow 32mm x 90 F/F
7973	Press Gas Elbow 40mm x 90 F/F
7974	Press Gas Elbow 50mm x 90 F/F
	Press Gas Elbow F/F 45°
7975	Press Gas Elbow 32mm x 45 F/F
7976	Press Gas Elbow 40mm x 45 F/F
7977	Press Gas Elbow 50mm x 45 F/F
7070	Press Gas Tee
7978	Press Gas Tee 32mm
7979	Press Gas Tee 40mm
7980	Press Gas Tee 50mm
7001	Press Gas Tee Reducing
7981	Press Gas Tee 32 x 32 x 20 Press Gas Tee 32 x 32 x 25
7982	
7983 7984	Press Gas Tee 40 x 40 x 20
7985	Press Gas Tee 40 x 40 x 25 Press Gas Tee 40 x 40 x 32
7986	Press Gas Tee 40 x 40 x 52 Press Gas Tee 50 x 50 x 25
7987	Press Gas Tee 50 x 50 x 32
7988	Press Gas Tee 50 x 50 x 40
7900	Press Gas End Cap
7989	Press Gas End Cap 32mm
7990	Press Gas End Cap 40mm
7990	Press Gas End Cap 40mm Press Gas End Cap 50mm
1331	Press Gas Adapter MI
7992	Press Gas Adapter 711 Press Gas Adaptor 32mm x 32Ml
7993	Press Gas Adaptor 40mm x 40Ml
7994	Press Gas Adaptor 50mm x 50Ml
1554	Press Gas Adapter FI
7995	Press Gas Adapter 72 Press Gas Adaptor 32mm x 32FI
	·
7996	Press Gas Adaptor 40mm x 40Fl

7926 Press Water Elbow 50mm x 90 F/F

7997 Press Gas Adaptor 50mm x 50Fl









Fewer fittings required on installation











PLUMTOOL PVC DRAINERS' PIPE SAW

UNIQUE TEETH DESIGN WILL NOT SHATTER PIPE

- 500mm
- · Comes with deburrer
- Blade length 420mm
- Specifically for cutting PVC pipe



PROCUT 100MM PVC CUTTER

AUTOMATICALLY CLAMPS TO PREVENT MOVEMENT DURING CUTTING

- · Can be used freehand. attached to a vice or clamp
- Rugged design with replaceable
- heavy duty cutting blades
- To suit 100mm DWV. Inserts available for other sizes





Flexidinger Bath Brass/Chrome

- For varying angles and gradients where space below taps & baths is limited
- Flexible tube suitable for solvent welding

40 x 350mm Code: 2730



Flexidinger Cap Lining Elbow

- For varying angles and gradients where space below taps & baths is limited
- Flexible tube suitable for solvent welding

40mm Code: 2733



Extendable **Bottle Trap**

- Screws onto any 40mm plug and waste
- Complies with AS 2887

40mm Code: 2776



Trap Micro

- Loose Nut

- Ideal for disabled basins
- Screws onto any 40mm plug & waste

40mm Code: 2792

Box Trap & Vanity Space Saver

- Min. exterior dimensions maximises shelf space
- · Can be flat against the rear of the cabinet

40mm Code: 2779



Vanity Space Saver

• The low profile keeps the space saver tucked up close to the top of the vanity unit

40mm Code: 2778



Trap Waterless

- Prevents odours escaping
- Tested and approved WMKT20062

40mm Code: 2788



- Loose Nut
- Ideal for disabled basins

40mm Code: 2787



Trap Waterless

- Prevents odours escaping
- Tested and approved WMKT20062

50mm Code: 2789



weird &

Trap Combo S&P with AAV

- Built-in air admittance valve
- Approved for installations up to 60°C
- 20mm overflow connection needs

40mm Code: 2785



- to be drilled out if required

50mm Code: 2786



Solvent Welded Trap

- Compact glue trap
- S shape (vertical) and traditional gully

40mm Code: 2770

50mm Code: 2771



Trap Combo Low Level S&P

40mm Code: 2844

50mm Code: 2845



Trap Black Combo HDPE S&P

• Suitable for hot wastes

50mm Code: 2847





Trap Bottle Chrome Kit

- 40mm chrome bottle trap
- 40mm raised cover flange
- 40mm chrome pipe 450mm
- Bottle trap adjustable height to 100mm

40mm Code: 2791

standard & common



Trap Adaptor Ideal for reducing a trap to suit a 32mm basin waste

32-40mm Code: 2795



Trap Extensions

40 x 25mm Code: 2780

50 x 25mm Code: 2781



Trap Extension Double Nipples (Overflows)

50 x 60mm Code: 2784



Trap Extension Solvent Weld

40 x 200mm Code: 2782 50 x 200mm Code: 2783



Removable plugs in nipples

40mm Code: 2799

50mm Code: 2798

Trap Combo S&P

Removable plugs in nipples

40mm Code: 2802

50mm Code: 2803



Trap P Short Leg

40mm Code: 2796

50mm Code: 2797

BULK SPECIAL COVER PLATES

DISHWASHER COVER PLATE

- Fits over the solenoid valve
- Keeps pests out









Fits Multiple Sizes!

- Fits tight to pipe

 Flexible centre 80mm Ant-proof



Stretches over 9 - 22mm pipe



Stretches over 40 - 60mm pipe



Stretches over 40 - 60mm pipe

Valid until 31st December 2025



When holes for waste pipes or vents are drilled through top or bottom timber plate it must be reinforced.

- Framing Stiffener Plate is made from quality heavy gauge 1.55mm **Galvanised Steel**
- The Framing Stiffener Plate can be fitted above the timber plate if required



FRAMING STIFFENER PLATE

Kit includes:

1x Frame Stiffener Plate 12 x Type 17 35mm x 12G Z/Yellow Screws



Retrofit

Kit includes:

1x Pair Frame Stiffener Plate Retrofit

12 x Type 17 35mm x 12G Z/Yellow Screws

вох ату

















PRESSURE LIMITING VALVE 15mm TRI SET - COMPRESSION

CODE: 3610













Drilling a hole through a metal down pipe to camera? Use a button hole cover to cover up your drill hole so it

can be easily removed later. Just tighten with your fingers on the front side.

Courtesy of **Dan Harris, Jetset Plumbing**

Thanks mate, we'll be sending you \$200 store credit

Pickyour favour



Coverplate 1/2" faves

½ inch BSP cover plates to suit every need




Flat 1/2" BSP Pack Qty 50 Code 9154



10mm Rise 1/2" BSP Pack Qty 50 Code 9153





16mm Rise 1/2" BSP Pack Qty 10 Code 1652



22mm Rise 1/2" BSP Pack Qty 10 Code 1653



34mm Rise 1/2" BSP Pack Qty 1 Code 1649



Flat 1/2" BSP Black Pack Qty 1 Code 4018



10mm Rise 1/2" BSP Black Pack Qty 1 Code 4015

10mm Rise Square

1/2" BSP

Black

Pack Qty 1 Code 4026



10mm Rise 1/2" BSP White Metal Pack Qty 1 Code 4013

70mm



1/2" BSP White Plastic Pack Qty 50 Code 1775



Flat Adhesive 1/2" BSP White Plastic Pack Qty 10 Code 4909






Flat Square 1/2" BSP Pack Qty 10 Code 4011





NEW

Flat 1/2" BSP Rough Brass



- Rough brass finish to match hose bibs
- Will not rust outdoors
- 70mm OD

Pack Qtv 1 Code: 4050

NEW

10mm Rise 1/2" BSP Brushed Nickel



- Brushed nickel
- 67mm OD

Pack Qty 1 Code: 4007



10mm Rise 1/2" BSP Rough Brass Pack Qty 10 Code 4001



10mm Rise 1/2" BSP **For Corrugated** Rough Brass Pack Qty 10 Code 4005

Flat 1/2" BSP **Chrome**

- Chrome plated to suit mini stops
- · Solid stainless steel
- 22mm hole
- 67mm OD

67mm

Pack Qty 1 Code: 4209

24

Flat Square

1/2" BSP



Roof Safety Step

Easy 3 Step Installation • Provides increased safety



Permanent

Safety Brackets & Step

Leave in place for permanent safe access

- 2 x Powder Coated Stainless Steel Brackets
- 450mm Step, Powder Coated Aluminium Square Tube
- Fastenings included

2405




Reusable

Safety Bracket Pair

Provides safe access when installing roof

- 2 x Powder Coated Stainless Steel Brackets
- Fastenings included

Suggested Timber size of 90 \times 35mm (not included)





40mm Code: 9971 50mm Code: 9972



Protect toilet pans

from damage

Pan Savers Code: 1983

Kee Seal Seal between flush pipe and pan to prevent leaks



40mm Code: 7249



50mm Code: 7248



Code: 6169

- Top/Blind fixing toilet seat anchor kit
- Includes stainless steel bolts and washers
 - · Easy to fit



- 25mm make great dummy screw

Code: 9622 25mm 50mm

65mm

Code: 9186 Code: 2505 75mm Code: 1400



• Our unique design fits

multiple sizes



Most Powerful Flush System

- Low Level Flush Pipe
- 4.5/3L Dual Flush Technology
- Simple Flush Volume Conversion to 6/3L or 9/4.5L
- UV Resistant Certified
- · Plastic Cistern with
- Bottom Inlet Saves Water
- Cistern 391mm H x 420mm D x 133mm W





Pro Series Cistern Inlet Valve

- Ultra-quiet
- Fast refill
- Reduces water hammer
- 5 Year Warranty

CODE: 2040

Brass Stem Cistern Inlet Valve

- · Heavy duty brass thread will not cross thread
- · Ultra-quiet Fast refill
- Reduces water hammer

CHECK OUT OUR NEW CLEARANCE PAGE

GRACING. JEALS STOCKS

ITEMS ADDED REGULARLY



BLACK **\$7**.00

> SAVE **\$!**.48 CODE: 8720



TRAP COMBO S & P 40MM CHROME KIT

SAVE \$ 6 ∩ .27


CODE: 2790



TRIO VALVE 20MM WITH FILTER C X C

\$66

SAVE \$22 CODE: 6853



HOLLOW WALL ANCHOR PLIERS

SAVE \$1 1.81

CODE: 9620



WAX PAN SEAL

\$17.05

SAVE \$7.56

CODE: 1882

AND MANY, MANY MORE....

WWW.PLUMBERSCHOICE.COM.AU/CLEARANCE

CLEARANCE SALE CLEARANCE SALE CLEARANCE SALE

CLEARANCE SALE



PLUMTOOL BUNDLE S 2 2 0 0 VALUE

5012 Wide Opening Shifter Set

9828 Flexible Mixer Tap Driver Kit

9430 Hole Saw Kit Tungsten Tip

2101 Franz Tap & Die Kit

9936 Rapid Bore Kit

9231 Nipple Cutter & Catcher

1563 SDS Roll Kit Long Series

8004 Shut Off Tool Poly 25mm

9898 Franz Tap & Die Kit

9988 Rounding Pliers 1/2"CU

9898 Rounding Pliers 3/4"CU

1916 Spindle Access Drill

2601 Trap Drill





SupaFlex



POLYAMIDE WATER CONNECTORS





Polyamide Braided outer hose for improved flexibility and superior resistance to rust and corrosion



Durable PEX inner core with 8mm bore to prevent bursts



Potable water safe with the inclusion of lead free brass nuts



Pressure safe up to: 1500 kPa

Operating temp: 1-80°C

POLYAMIDE WATER CONNECTORS

		Code	Code
Length	Connection	Per 1	Box 25
225mm x 12mm	F&F	2660	2669
300mm x 12mm	F&F	2661	2670
450mm x 12mm	F&F	2662	2671
600mm x 12mm	F&F	2663	2672
225mm x 12mm	Bent Elbow	2666	2675
300mm x 12mm	Bent Elbow	2667	2676
450mm x 12mm	Bent Elbow	2668	2677
		Per Pair	Box 20
150mm x 12mm	M&F	2664	2673
225mm x 12mm	M&F	2665	2674









- Ideal for sealing sheet metal, roofing & guttering
- Potable water approved AS4020-1999
- Neutral Cure
- Non-Corrosive





BLACK 300ml

Code: 9812

TRANSLUCENT 300ml





SILICONE - XTREME

- UV resistant, absorbs acoustic and mechanical vibrations
- Highly flexible with up to 400% elongation

SEALANT

- Sticks and seals all common building materials, even in the wet
- Interior & exterior use

GREY 290ml

Code: 8225

| BOX |

| **12** |

WHITE 290ml






BOX | **12** |



BLACK







Free Standards Access



Free Expert Advice



Apprentice Hire Rebates



Tailored Safety Systems

All prices include GST



Exclusive Discounts



CPD & Training Support



Member Only Events



Scan to view all member benefits

Find your local Master Plumbers at masterplumbersanz.com/members

*T&C's apply.

RED BACK

Nylon Thread Seal Cord



- Suitable for Cold, Hot & Potable Water
- Approved for Natural Gas, Butane & LPG
- Class 3 AGA 9184 G
- AS4623 2008
- Temp Range: -10c to 150c
- Pressure Rating: 2000kPa

50m \$20.72 INC.GST Code: 5632

150m \$**39.74** INC.GST Code: 5633



